


**INDIA NIPPON
ELECTRICALS LTD.**

PRODUCT CATALOGUE

(Edition : Aug. 2021)




POWER & IGNITION MANAGEMENT
the complete solution.....

PAGE OF CONTENTS

1	SATOR	1 to 5
2	ROTOR	6 to 8
3	FWM	9 to 11
4	OTHERS	11 to 14
5	CDI/TCI	14 to 17
6	IU/IG	17 to 22
7	RR	23 to 25
8	New Products	26 to 33
9	Notes	34
10	Multimeter Resistanace Chart	35
11	INEL Aftermarket APP Login Details	36





51003  APP : STR KS (Kick Start) DES. : 5 Pole with 1 Ex.coil	51007  APP : PEP DES. : 7 Pole with 1 Pole Blank	51009  APP : STR CTY ES (Electric start) DES. : 7 Pole with 1 Ex.coil
51011  APP : APCHE 150CC DES. : 7 Pole with 1 Pole Blank	51014  APP : XL SPR DES. : Coil plate assy. with Pulser coil, Ex. coil & Lamp coil	51021  APP : APCHE RTR EFI DES. : 8 Pole
51022  APP : SCTY 2 STROKE DES. : Coil plate assy. with Pulser coil, Ex. coil & Lamp coil	51023  APP : VCTR GLX DES. : 7 Pole with 1 Ex. coil	51024  APP : APCHE RTR DES. : 8 Pole
51026  APP : ACTVA OLD DES. : 5 Pole with 1 Ex.coil	51029  APP : SPLNDR (4 hole) DES. : Coil plate assy. with stator coil & Ex. Coil	51030  APP : C 100 DES. : Coil plate assy. with lamp coil & Ex. Coil





51031  APP : CRX DES. : 8 Pole	51032  APP : YB DES. : 6 Pole with 1 Ex. coil	51033  APP : ALB / LBRO DES. : 12 Pole
51034  APP : XL CHMP / XL 50 DES. : Coil plate assy. with Pulser coil, Ex. coil & Lamp coil	51039  APP : PEP OLD DES. : 5 Pole	511181  APP : APE / ALF / ATL BS 4 DES. : 18 Pole
51054  APP : CNTRA DES. : 5 Pole with 1 Ex. coil	51062  APP : A150 / FIRO DES. : 7 Pole	51063  APP : APE BSII DES. : 12 Pole
51064  APP : APE BS III DES. : 18 Pole	51092  APP : KNG 2 STROKE DES. : 12 Pole	51097  APP : VCTR GX DES. : 7 Pole with 1 Ex. coil






51105  APP. : STR RFRSH ES DES. : 7 Pole	51106  APP. : STR SPRT KS DES. : 5 Pole	51107  APP. : VCTR DES. : 7 Pole with 1 Ex.coil
51116  APP. : PHNX DES. : 12 Pole	51120  APP. : KNG 4 STROKE DES. : With case	51121  APP. : PASSN PRO DES. : 8 Pole
51126  APP. : ACCSS DES. : 12 Pole	51131  APP. : DRM YGA DES. : 12 Pole	51136  APP. : APCHE ABS DES. : 18 Pole
51139  APP. : ENTZR DES. : 8 Pole	51140  APP. : ACTVA NEW DES. : 6 Poles with 2 Ex.coil	51153  APP. : ACTVA 110 DES. : 6 Poles with 2 Ex. coil





51154  APP. : CNG 4 STROKE DES. : 18 Pole	51155  APP. : DSCVR 100 DES. : 8 Pole	51159  APP. : XL 100 (Kick) DES. : 12 POLE
51161  APP. : VCTR + DES. : 12 Pole	51164  APP. : NEW PEP+ DES. : DES. : 12 Pole	51167  APP. : STR CTY DES. : 7 Pole with 1 Ex. coil
51168  APP. : ACTVA 110 DES. : 6 PoleS with 2 Ex. coils	51169  APP. : ACTIVE NEW DES. : 6 Poles with 2 Ex. coils	51170  APP. : ACTIVE HET DES. : 12 Pole
51171  APP. : SHNE DES. : 8 Pole	51179  APP. : DRM YGA/NO (New) DES. : 12 Pole	51180  APP. : KNG 3 PHASE DES. : 12 Pole





51195



APP. : XL 100 ISG (Self)
DES. : Stator

51197



APP. : NEW JUPITER / WEGO
DES. : Stator

51200



APP. : SPORT ES BS IV
DES. : Stator

51201



APP. : APACHE 160 CC (4 Valve)
DES. : Stator

51203



APP. : APE 18 Amps
DES. : Stator

51205



APP. : i-SMART 110 CC
DES. : Stator

51193



APP. : APACHE 310 RR / BMW 310 CC (Domestic)
DES. : Stator

51181



APP. : G435 BS IV
DES. : 18 Pole





51027  APP : XL SPR	51035  APP : SPLNDR	51036  APP : C 100
51038  APP : CHMP / XL 50	51055  APP : CNTRA	51060  APP : VCTR GLX
51065  APP : STR CTY ES	51089  APP : ACTVA	51090  APP : KNG 4 STROKE
51096  APP : NEW WGO	51098  APP : VCTR GX	51113  APP : ENTZR (Kick Start)





51115  APP : PHNX	51119  APP : KNG 4 STROKE	51122  APP : PASSN PRO
51125  APP : ACCSS	51130  APP : DRM YGA	51132  APP : JUPTR / WGO
51135  APP : APCHE ABS	51141  APP : APE / ALF / ATL BS II	51142  APP : APE / ALF / ATL BS III
51143  APP : APCHE RTR	51144  APP : STR KS	51158  APP : XL 100





51162  APP : VCTR+	51165  APP : PEP+	51178  APP : KNG
51191  APP : APE G435 BS IV DES. : Rotor	51192  APP : APACHE 310 RR / BMW 310 CC (Domestic) DES. : Rotor	51194  APP : XL 100 ISG DES. : Rotor
51196  APP : NEW JUPITER / WEGO DES. : Rotor	51198  APP : SPORT ES BS IV DES. : Rotor	51199  APP : APACHE 160 CC (4 Valve) DES. : Rotor
51202  APP : APE 18 Amps DES. : Rotor	51204  APP : i-SMART 110 CC (BS VI) DES. : Rotor	





51004  APP. : XL SPR DES. : Coil plate assy. with Pulser coil, Ex. coil & Lamp coil	51010  APP. : APCHE 150 DES. : 7 Pole with 1 Pole Blank	51012  APP. : SCTY 2 STROKE DES. : Coil plate assy. with Pulser coil, Ex. coil & Lamp coil
51025  APP. : APCHE RTR DES. : 8 Pole	51046  APP. : SPLNDR DES. : Coil plate assy. with Lamp coil & Ex. coil	51047  APP. : C 100 / DWN DES. : Coil plate assy. with Lamp coil & Ex. coil
51056  APP. : STR DES. : 5 Pole with 1 Ex. coil	51057  APP. : PEP DES. : 7 Pole with one blank	51058  APP. : CNTRA DES. : 5 Pole with 1 Ex. coil
51059  APP. : SCTY PEP+ DES. : 7 Pole with one blank	51067  APP. : APCHE EFI DES. : 8 Pole	51070  APP. : A 150 / FERRO DES. : 7 Pole with 1 pole blank





51117



APP. : KNG 4 STROKE
DES. : 12 pole

51124



APP. : ACCSS
DES. : 12 Pole

51129



APP. : DRM YGA
DES. : 12 Pole

51134



APP. : APCHE 180
DES. : 18 Pole

51157



APP. : XL 100
DES. : 12 Pole

51160



APP. : VCTR+
DES. : 12 Pole

51163



APP. : NEW PEP +
DES. : 12 Pole

51176



APP. : DRM YGA NEW
DES. : 12 Pole

51177



APP. : KNG 3 PHASE
DES. : 12 Pole

51182



APP. : SPORT E/S BS IV
DES. : FWM

51183



APP. : NEW JUPITER / WEGO
DES. : FWM

51184



APP. : XL 100 ISG
DES. : FWM







51185  APP : APACHE 310 RR / BMW 310 CC (Domestic) DES. : FWM	51186  APP : BMW (Export) DES. : FWM	51187  APP : APE 18 Amps DES. : FWM
51188  APP : APACHE 160 CC (4 Valve) DES. : FWM	51189  APP : I - SMART 110 CC (BS VI) DES. : FWM	51190  APP : ATUL G 510 DES. : FWM

OTHERS

51006  APP : A 100 - DES. : Starting Coil	51015  APP : SCTY DES. : Starting Coil	51016  APP : SCTY / XL 50 / CHMP DES. : Pulser Coil
51017  APP : XL SPR DES. : Pulser Coil	51018  APP : XL SPR DES. : Starting Coil	51019  APP : APCHE DES. : Pulser Coil






51020  APP. : XL SPR DES. : Lamp Coil	51042  APP. : SPLNDR DES. : Lamp Coil	51043  APP. : 100 CC BIKES DES. : Lamp Coil
51044  APP. : SPLNDR DES. : Starting Coil	51045  APP. : SPLNDR DES. : Pulser Coil	51066  APP. : A 100 DES. : Lamp Coil
51084  APP. : R 135 DES. : Starting Coil	51111  APP. : KNG DES. : Ring Gear	51123  APP. : PASSN PRO DES. : Pickup Coil
51127  APP. : ACCSS DES. : Pickup Coil	51133  APP. : STR DES. : Pulser Coil with Wiring Harness	51137  APP. : DRM YGA DES. : Pulser Coil





51145  APP. : BXR DES. : Lamp Coil (3 pole / 4 hole)	51146  APP. : SPLNDR DES. : Lamp Coil (3 pole / 2 hole)	51147  APP. : BXR DES. : Starting Coil
51148  APP. : PASSN DES. : Starting Coil	51149  APP. : BXR DES. : Pulser Coil	51150  APP. : PLSR DES. : Pulser Coil
51151  APP. : VCTR DES. : Pulser Coil	51152  APP. : GLMR DES. : Pulser Coil	51156  APP. : STR CTY PLUS DES. : Pickup Coil
51166  APP. : XL 100 DES. : Pickup Coil	51172  APP. : HORN (UNIVERSAL) DES. : 12V / 90 mm	51173  APP. : HORN (UNIVERSAL) DES. : 12V / 80 mm





51174 APP : HORN (UNIVERSAL) DES. : 12V / 70 mm	51175 APP : XL SPR DES. : Horn	53042 APP : APE G400 WG IG SYSTEM
53047 APP : "L" TYPE PLUG CAP (UNIVERSAL 5 kv)	53048 APP : "I" TYPE PLUG CAP (UNIVERSAL 5 kv)	54027 APP : FLASHER DES. : 2 Pin / 45 Watt

CDI / TCI

52001 APP : APCHE DES. : 4 Female Coupler (2/2/3/1 pins) 1 Male coupler (2 pins)	52002 APP : PEP DES. : 2 Female Couplers with (2/1 pins) 2 Male Couplers with (2/2 pins)	52005 APP : VCTR DES. : 1 Washer, 2 Coupler sockets (6/2 pins)
52006 APP : VCTR CDI CUM FLASHER DES. : 1 Female Terminal, 3 coupler socket (6/2/2 pins)	52007 APP : VCTR GLX DES. : 2 Female Couplers (6/1 pin), 1 Male Coupler (2 pins)	52008 APP : PEP OLD DES. : 1 Female Terminal 2 Male Couplers with (2/4 pins)






52009  APP. : ACTVA (Old / 110 cc) DES. : 3 Sockets (4/2/4 Black)	52010  APP. : DEO DES. : 3 Sockets (4/2/4 Black)	52011  APP. : AVTOR DES. : 3 Sockets with (4/2/4 black)
52012  APP. : ETRNO DES. : 3 Sockets with (4/2/4 Red)	52013  APP. : MK 12 DES. : 2 Male Terminals, 1 Female Terminal (Green)	52014  APP. : MK 25 DES. : 2 Male Terminals, 1 Female Terminal (Blue)
52015  APP. : R 100 DES. : 1 Coupler with 3 Male pins and 1 Coupler with 3 Female pins	52016  APP. : R 135 DES. : 2 Male Terminals, 1 Female Terminal, 1 Coupler socket with 2 Female pins	52022  APP. : WGO DES. : 1 Sockt with 5/2 pins, 1 Coupler with 2 pins Female
52023  APP. : TCI PETROL DES. : 1 Socket with 4 pins 1 Socket with 2 pins	52027  APP. : ZA 8 TCI DES. : Socket with 2 pins	52028  APP. : BRL YMHA LG 2000 DES. : 1 Washer, 1 Male & 1 Female Terminals






52029  APP. : PEP CDI COUPLER (Old) DES. : 1 Coupler with Female (1 pin) 2 Male Coupler (4/2 pins)	52031  APP. : APCHE 160 DES. : 1 Socket with 2 Male pin, 3 Female Couplers (1/3/2 pins), Grey colour TCI	52032  App. : APCHE 180 DES. : 1 Socket with 2 Male pin, 3 Female Coupler socket (1/3/2 pins) Green colour TCI
52034  APP. : JPTR / WGO DES. : 1 Socket with 2 Male pins, 1 Socket with 3 Female pins	52035  APP. : PLSURE DES. : 3 Sockets (4/2/4 Black)	52037  APP. : SPLNDR DES. : 2 Socket (4/2 pins)
52040  APP. : ALB / LBRO DES. : 1 Female coupler socket (5 pins)	52041  APP. : ACCSS DES. : 2 Coupler : with 5 pin & another with 2 pin	52042  APP. : NEW PLEASURE DES. : CDI
52043  APP. : APACHE BS IV DES. : TCI	52044  APP. : APP. : REML 350cc (Black)	52045  APP. : REML 350cc (Blue)





52046  APP : REML 350cc (Green)	52047  APP : SUPER SPLNDR/GLAMR DES. : 6pin	52048  APP : CD DLXE DES. : 4 Pin
52058  APP : AK 12 DES. : 1 Male and 1 Female Terminal	52050  APP : ACTVA 3G TCI DES. : 7 Pin	54029  APP : FLASHER DES. : 2 Pin

IU / IG

53001  APP : SCTY DES. : 1 Female Terminal, 1 Male Coupler (3 pins)	53002  APP : A100 / MX 100 / SMRAI DES. : 1 Washer, 1 Coupler socket Female (2 pins)	53003  APP : XL SPR DES. : 1 Washer, 2 Female Terminal, 1 Male Terminal
53004  APP : XL CHMP / XL 50 DES. : 1 Washer, 1 Male Terminal (2 pins), 1 Female Terminal (1 pin)	53006  APP : STR ES DES. : 1Washer, 1 Male Coupler (2 pins) Red, 1 Female Coupler (4 pins) White	53007  APP : STR KS DES. : 1 Washer, 1 Male Coupler (2 pins) Red, 1 Female Coupler (3 pins) White





53008  APP : VCTR GX DES. : 1 Washer, 1 Male Coupler (3 pins) 1 Female Coupler (2 pins)	53009  APP : STR DES. : 1 Washer, 1 Male Coupler (2 pins) Blue 1 Female Coupler (3 pins) Red	53010  APP : PEP TERMINAL (Old) DES. : 1 Male Terminal, 1 Female Terminal, 1 Blue cable
53012  APP : APCHE DES. : 1 Coupler with 2 Male pins	53013  APP : PEP (Coupler) DES. : 1 Female Terminal, 1 Male Coupler with 1 pin	53016  APP : CNG C CORE DES. : 1 Coupler with 2 Male pins
53019  APP : YBX DES. : 1 Washer, 1 Male terminal	53020  APP : CRX DES. : 1 Washer, 1 Male terminal	53022  APP : VCTR DES. : 1 Washer, 1 Male terminal
53024  APP : VCTR GLX DES. : 1 Female coupler with 1 pin, 1 Male coupler with 1 pin	53025  APP : A 150 / FERO DES. : 1 Male terminal, 1 Female terminal, 1 Yellow cable	53027  APP : ALB / LBRO / YBR 110 / 125V DES. : 1 Washer, 1 Male terminal





53028  APP : ETRNO DES. : 2 Pins attached	53032  APP : IGNITION COIL EM 650	53033  APP : IGNITION COIL EBK 650
53037  APP : G100K	53038  APP : EBK1000	53040  APP : 4510 WG
53045  APP : Mjstc K/S DES. : 1 Washer, 1 Female Terminal, 1 Socket with 2 pins	53049  APP : KNG 4 STROKE DES. : 1 Coupler with 2 Male pins	53050  APP : WGO DES. : 1 Coupler with 2 Male pins
53052  APP : KNG 4S OLD (without plugcap) DES. : 1 Coupler with 2 Male pins with metal plugcap	53053  APP : KNG 2S NEW (Resistive cable) (without plugcap) DES. : 1 Coupler with 2 Male pins with metal plugcap	53063  APP : STR SPLIT (without plugcap) DES. : 1 Washer, 1 Female coupler (2 pins), 2 Male couplers (2/2 pins)





53064  APP : SPLNDR (without wiring harness) DES. : Black, 2 pins attached	53065  APP : HF DLX / HF DWN / PASSN PRO / SPLNDR PRO / HNK / NXG PRO / IMPLSE DES. : Black, 2 pins attached	53066  APP : JPTER / WGO BSIII (without plugcap) DES. : 3 Coupler socket with (3/2/2 pins)
53068  APP : JUPTR / WGO (without plugcap) DES. : 1 Pin attached, L Type plugcap	53069  APP : XL 100 (without plugcap) DES. : 1 Female coupler with 1 pin, 2 Male coupler (2/1 pins) Red, Black & White	53071  APP : XL 100 DES. : 1 Pin attached
53072  APP : NEW PEP + DES. : 1 Coupler with 2 Male pins	53073  APP : 3 WHEELER IG COIL DES. : Red colour coil with clip, 1 Pin attached	53074  APP : 3 WHEELER IG COIL DES. : Red colour coil without clip, 1 Pin attached
53075  APP : 3 WHEELER RE175/205 4S CNG / LPG DES. : Black colour coil, 1 Coupler socket - 2 pins Male	53076  APP : 3 WHEELER RE 145 CNG 2S NEW DES. : Red, 1 Coupler with 2 pins Male	53077  APP : 3 WHEELER IG COIL RE DES. : Red colour coil, 1 Coupler socket - 2 pins Male





53078  APP : PLSR 135/150/180/200/220 DSCVR 100/100M/100T/102/125/125M/ 125ST/135/150F/150S PLTNA 100/125/BOXER 100/125/150 AVNGR / KRSTL/CT 100/XCD 125/135 ALL BAJ MOTORCYCLES DES. : White, 1 pin attached	53079  APP : HEAT / ZUS / MSTRO DES. : Black, 1 pin attached	53080  APP : SPLNDR / SPLNDR Y2K / SPLNDR PLUS / PASSN / PASSN PLUS DES. : 2 Male Terminal (with wiring harness)
53081  APP : AMBTN DES. : 1 Male Terminal, 1 Female Terminal	53082  APP : C 100 / DWN / CD DLX / HNK / GLMR OLD DES. : Black, 1 pin attached	53083  APP : SUPER SPLNDR / GLMR / IGNTR / CBZ EXTRM / KARZMA OLD DES. : Black, 2 pin attached
53084  APP : PASSN PRO DES. : Black, 2 pin attached	53085  APP : FLME / JVE / STR CTY DES. : Black colour coil, 1 Coupler socket-2 pins Male	53086  APP : PHNX 125 DES. : Black colour coil, 1 Coupler socket-2 pins Male
53087  APP : UNCRN OLD DES. : 1 Male terminal, 1 Female terminal	53088  APP : R 100 DES. : 1 Male terminal	53089  APP : RE 145, CNG25 OLD DES. : Red, 1 Coupler with 2 pins Male






53090  APP : HNK / CD DWN / CD DLX DES. : Black 2 pins attached	53091  APP : DEO/ACTVA/AVTR/SHNE/ ETRNO/STNR OLD DES. : Black, 2 pins attached	53092  APP : XL SPR DES. : 1 Washer, 2 Female Terminal, 1 Male Terminal
53093  APP : CNG C CORE DES. : 1 Coupler with 2 Male pins	53029 / 53056  APP : BRL YMHA LG 2000	53095  APP : UM RENEGADE DES. : IG Coil
53096  APP : APE G400 AIR COOL ENGINE (Resistive Cable) DES. : IG Coil	53097  APP : APE G400 WATER COOL ENGINE (18 Amps) DES. : IG Coil	53098  APP : APE M & M DES. : IG Coil
53099  APP : GX 150 / 200 DES. : IU	53067  APP : CONTROL UNIT JPTR / WGO BS IV DES. : 1 Socket with 8 pins	53070  APP : CONTROL UNIT XL 100 DES. : Female Coupler socket with 1 pin and 2 Male Coupler socket (2/1 pins)






54001  APP : APCHE DES. : 2 Coupler sockets1 with 2 pins & another with 3 female terminal	54002  APP : CRX DES. : 1 Coupler socket with 4 pins	54003  APP : LBRO / ALB DES. : 1 Coupler socket with 4 pins
54004  APP : APE / ALF / ATL BS II DES. : 4 Wire	54005  APP : APE / ALF / ATL BS III DES. : 6 Wire	54008  APP : APCHE EFI DES. : 2 Coupler sockets with each 2 pins and 1 Terminals
54009  APP : MX 100 / SPCTRA DES. : 1 Coupler socket with 2 pins	54010  APP : A 100 DES. : Coupler socket with 5 pins	54011  APP : ACTIVE / DEO DES. : 4 Pins
54013  APP : R 135 DES. : Coupler with 4 pins	54014  APP : VCTR / SCTY DES. : Coupler socket with 4 pins	54015  APP : VCTR / SCTY DES. : Coupler socket with 5 pins





54016  APP : SPLNDR DES. : Coupler socket with 4 pins	54017  APP : CNG 3W	54019  APP : APE / ALF / ATL G400 WG
54020  APP : GAS ENGINE DES. : 2 Coupler sockets, 1 Coupler socket with 2 pins another coupler socket with 4 pins	54023  APP : JPTR DES. : 2 Coupler sockets, 1 Coupler socket with 2 pins another coupler socket with 3 female terminals	54024  APP : XL SPR DES. : 1 Terminal socket with 2 pins
54025  APP : PLTNA DES. : Coupler socket with 3 pins	54026  APP : CD 100 DES. : 4 pins	54030  APP : STR CTY+ DES. : 4 pins
54031  APP : XL 100 DES. : 2 Coupler : 3 wire coupler & 2 wire coupler	54032  APP : VCTR DES. : 4 pins	54033  APP : PEP+ DES. : 4 pins





54034  APP : PGGIO RR HEAD LAMP CONTROLLER DES. : 3 Sockets (4/2/4 black)	54035  APP : ACCSS DES. : Coupler Socket with 4 pins	54036  APP. : APACHE 310 RR / BMW 310 CC (Domestic) DES. : RR
54037  APP : BMW (Export) DES. : RR	54038  APP. : APE G400 WATER COOL ENGINE (18 Amps) DES. : RR	54039  APP : APACHE 160 CC (4 Valve) DES. : RR
54041  APP. : SPR SPLNDR, PSSN PRO, ACTIVA 3G, ACTIVA 125CC, HF DLXE, SHNE, UNCRN, GLMR, CD DLX (New), DRM YGA, DRM NEO DES. : RR	55001  APP : APE/ATL / ALF EGR CONTROLLER DES. : Revision 1	55002  APP : APE/ATL / ALF EGR CONTROLLER DES. : Revision 2
55003  APP : APE/ATL / ALF EGR CONTROLLER DES. : Revision 3	55004  APP : APE/ATL / ALF EGR CONTROLLER DES. : Revision 4	55005  APP : APE/ATL / ALF EGR CONTROLLER DES. : Revision 5





51213  APP : Neo/Rckz DES. : FWM	51214  APP : 3W BS IV DES. : FWM	51216  APP : Phnix/Str Cty ES DES. : FWM
51217  APP : Rdeon/Str Cty plus/Sprt KS/Sprt ES DES. : FWM	51218  APP : Jptr BS VI DES. : FWM	51223  APP : Daz DES. : FWM
51224  APP : Dlx/Splndr Pls (Self Start) DES. : FWM	51225  APP : Dlx/Splndr Pls (Kick Start) DES. : FWM	51227  APP : Plsure/Mstro 110 BS VI DES. : FWM
51220  APP : SZK GXR 150/200 DES. : Rotor	51231  APP : Dlx/Splndr Pls (Self Start) DES. : Rotor	51232  APP : Dlx/Splndr Pls (Kick Start) DES. : Rotor





51234  APP. : Plseur / Mstro 110 cc DES. : Rotor	51242  APP. : Neo/Rckz DES. : Rotor	51246  APP. : Rdeon/Str Cty plus/Sprt KS/Sprt ES DES. : Rotor
51248  APP. : Jptr BS VI DES. : Rotor	51208  APP. : ACTVA 3G/5G DES. : Stator	51209  APP. : ACTVA 125CC DES. : Stator
51212  APP. : SPLNDR OLD (BLACK) (2 Hole) DES. : Stator	51221  APP. : Neo/Rckz DES. : Stator	51222  APP. : SZK GXR 150/200 DES. : Stator
51237  APP. : Dlx/Splndr Pls (Self Start) DES. : Stator	51239  APP. : Plsure/Mstro 110 BS VI DES. : Stator	51243  APP. : 3W BS IV DES. : Stator





51244  APP : 3W BS IV DES. : Rotor	51247  APP : Jptr BS VI DES. : Stator	53100  APP : NTRO Bulb type lamp vehicle DES. : IG Coil
53101  APP : Neo/Rckz DES. : IG Coil	53102  APP : DAZ DES. : IG Coil	51210  APP : SPLND OLD (Black) DES. : Ex.Coil
54042  APP : Neo/Rckz DES. : RR	54043  APP : DAZ DES. : RR	54044  APP : JPTR BS VI DES. : RR
54045  APP : NTRQ BS IV DES. : RR	52047  APP : SPR SPLNDR/GLMR DES. : CDI	52048  APP : CD-DLX(NEW,DC)/NXG/ECO DLX DES. : CDI





52056  APP : SHNE DES. : CDI	54046  APP : SPLNDR (Pin Type) DES. : 4 Pin	52059  APP : PLSURE NEW DES. : CDI
52062  APP : UNCRN 150CC DES. : CDI	52049  APP : ACTVA HET 110CC DES. : TCI	52051  APP : ACTVA 125 HT K24F 8PIN DES. : TCI
52052  APP : ACTVA 125 HT K24A 10PIN DES. : TCI	52053  APP : PSSN PRO DES. : TCI	52054  APP : STR CTY PLS 110CC DES. : TCI
52055  APP : PHNX 125 DES. : TCI	52058  APP : DAZ-CARBURATTOR DES. : TCI	51211  APP : SPLNDR OLD DES. : Lamp Coil





52062  APP. : UNCORN OLD CDI DES. : 6 pin with 1 Terminal wire	52063  APP. : DRM YGA TCI DES. : 6 Pin	52064  APP. : DRM NIO / YGA HET TCI DES. : 5 Pin
52065  APP. : ACTVA 5 G TCI DES. : 7 Pin	52066  APP. : PULSR 150 (Black) CDI DES. : 6 Pin	52067  APP. : PULSR 180 (Brown) CDI DES. : 6 Pin
52069  APP. : DISCVR 125 (Blue) CDI DES. : 8 Pin	52070  APP. : PLTNA 100 (Blue) CDI DES. : 6 Pin	52071  APP. : PULSR 220 (Green) CDI DES. : 8 Pin
52072  APP. : DISCVR 150 (Red) CDI DES. : 8 Pin	51249  APP. : NTRO BS IV STATOR DES. : 12 Pole	51250  APP. : NTRQ BS IV ROTOR DES. :





INTRODUCING NEW PRODUCTS

August - 2021

INDIA NIPPON



51206  APP : STR ULTRA (KS)- STATOR DES. : 5 Pole with Ex. coil	51207  APP : STR RFRSH ULTRA- STATOR DES. : 7 Pole	51253  APP : SHNE NEW - STATOR DES. : 12 Pole
51254  APP : SPR. SPLNDR NEW - STATOR DES. : 8 Pole	51255  APP : HF DLX - STATOR DES. : 8 Pole	52073  APP : KB-4S/BXR/CLBR - CDI DES. : 5 Pin
52074  APP : BJ 3W 2S D MODEL 5 PORT Y2008 - CDI DES. : 6 Pin	52075  APP : CD DWN - CDI DES. : 4 Pin & 2 Pin	52076  APP : HH CD-100/KCHLLNGER - CDI DES. : 5 Pin
52077  APP : CT-100/PLTNA100/DSCVR 112CC - CDI DES. : 5 Pin with 2 Pin Coupler	52078  APP : HMDA TWSTR - CDI DES. : 4 Pin & 2 Pin	52079  APP : HMDA CB HRNET160R HET BS-IV - CDI DES. : 4 Pin & 4 Pin



INTRODUCING NEW PRODUCTS

August - 2021

INDIA NIPPON



52080  APP : BJ CT 100 ES (2018 MODEL) - CDI DES. : 6 Pin	52081  APP : BJ PLSR 180 K-2 INTELLIGENT - CDI DES. : 6 Pin & 2 Pin (Brown coupler)	52082  APP : BJ PLSR-150 DTSI (OLD MODEL W/O DIGITAL METER) - CDI DES. : 6 Pin & 2 Pin (White coupler)
52083  APP : BJ DSCVR 125 M 12 Pin coupler (purple)-CDI DES. : 12 Male Pin	52084  APP : BJ DSCVR 125 T12 Pin coupler (sky blue)-CDI DES. : 12 Male pin	52085  APP : BJ DSCVR 100T (D102B)12 PIN COUPLER (INK BLUE) - CDI DES. : 12 Male pin
52086  APP : BJ DSCVR 100M DC with Auto Choke 12 pin coupler (pink)-CDI DES. : 12 Male pin	52087  APP : DUET/MSTRO/EDG w/o immobiliser - TCI DES. : 4 Pin, 2 Pin & 4 Pin	52088  APP : HMDA GRZIA - TCI DES. : White coupler (4pin) Black coupler (4pin)
52092  APP : BJ DSCVR 150M/150S 12 Pin coupler (green)-CDI DES. : 12 Male pin	52093  APP : BJ DSCVR 125 St12pin coupler (grey) - CDI DES. : 12 Male pin	54047  APP : Plsr Ug4 RR DES. : 4 Pin with capacitor



INTRODUCING NEW PRODUCTS

August - 2021

INDIA NIPPON



54048



APP. : BXR CT/BXR AR - RR
DES. : 4 Pin & 1 Terminal

54049



APP. : CT100/DSCVR 110 - RR
DES. : 5 Pin

54050



APP. : DSCVR 100 4G WITH CAPCITOR / AC-DC - RR
DES. : 5 Pin with Capacitor

54051



APP. : DSCVR 125 CC (GREY) - RR
DES. : 6 Pin

54052



APP. : PLSR 150 K(2008) ES/KS - RR
DES. : 4 Pin

54054



APP. : YMHA SLUTO / RAY / FSCNO / ALPH - RR
DES. : 4 Pin

54055



APP. : K-4S/BXR AT/BXR CT - RR
DES. : 4 Pin



[illegible]



 INDIA NIPPON			MULTIMETER RESISTANCE RANGES for ALL COILS FOR VARIOUS VEHICLES				
	MODEL	Excitor Coil	Pulser Coil	Charging Coil	Lighting Coil	Ignition Coil(Primary)	Ignition Coil (Secondary)W/o Plug
1	Vctr/Str Cty/Fero	150 to 250 Ohm	175 to 275 Ohm	0.01 to 1.0 Ohm	0.01 to 1.5 Ohm	0.5 to 1.0 Ohm	3.5 to 6 K Ohm
	XL Spr	260 to 300 Ohm	41.5 ± 10%	NA	0.53 ± 10% Ohm	0.20 ± 10% Ohm	4.00 ± 20%K Ohm
	Scty Pep	NA	115 to 280 Ohm	0.45 to 1.2 Ohm	0.37 to 0.83 Ohm	0.13 to 0.270hm	2.4 to 4.9 K Ohm
2	Dscvr/Pltina	270 to 350 Ohm	180 to 240 Ohm	0.5 to 1.0 Ohm	0.5 to 1.0 Ohm	0.6 to 0.8 Ohm	4 to 5 K Ohm
	Calibr 115	270 to 350 Ohm	180 to 240 Ohm	0.6 to 1.1 Ohm	0.4 to 0.7 Ohm	0.6 to 0.8 Ohm	4 to 5 K Ohm
	Wnd	270 to 350 Ohm	108 to 132 Ohm	0.4 to 0.8 Ohm	0.3 to 0.9 Ohm	0.6 to 0.8 Ohm	4 to 5 K Ohm
	Pulsr 150	140 to 200 Ohm	150 to 210 Ohm	0.9 to 1.5 Ohm	0.6 to 1.3 Ohm	0.1 to 0.2 Ohm	3.8 to 5.8 K Ohm
	Pulsr 180	140 to 200 Ohm	190 to 250 Ohm	0.9 to 1.5 Ohm	0.6 to 1.0 Ohm	0.1 to 0.5 Ohm	4.23 to 5.3 K Ohm
	Pulsr DTSi	140 to 200 Ohm	150 to 210 Ohm	0.9 to 1.5 Ohm	0.6 to 1.0 Ohm	0.4 to 0.6 Ohm	4.23 to 7.7 K Ohm
	Avngr	350 to 450 Ohm	170 to 280 Ohm	0.9 to 1.5 Ohm	0.6 to 1.0 Ohm	0.3 to 0.5 Ohm	5.1 to 7.7 K Ohm
	100CC ALL	225 to 465 Ohm	50 to 270 Ohm	0.2 to 1.2 Ohm	0.3 to 1.0 Ohm	0.2 to 1.2 Ohm	6.5 to 9 K Ohms
	CBZ	NA	50 to 270 Ohm	0.2 to 0.7 Ohm	0.1 to 0.5 Ohm	0.3 to 1.2 Ohm	6.5 to 9 K Ohms
	Ambtion	NA	50 to 270 Ohm	0.2 to 1 Ohm	0.1 to 0.5 Ohm	0.3 to 1.2 Ohm	7.8 to 10 K Ohms
	Karzma	NA	50 to 270 Ohm	0.1 to 1.0 Ohm	0.1 to 0.5 Ohm	0.3 to 0.7 Ohm	7.0 to 10 K Ohms
	Glmour FI	NA	50 to 270 Ohm	0.2 to 1.0 Ohm	0.1 to 0.5 Ohm	0.48 to 0.58 Ohm	7.0 to 10 K Ohms
3	Actva/Deo	400 to 600 Ohm	150 to 180 Ohm	0.2 to 1.0 Ohm	0.1 to 0.8 Ohm	0.2 to 1.0 Ohm	4 to 6 K Ohm
	Etrno	400 to 600 Ohm	220 to 260 Ohm	0.2 to 1.0 Ohm	0.1 to 0.8 Ohm	0.2 to 1.0 Ohm	4 to 6 K Ohm
	Unicrn	NA	100 to 140 Ohm	0.2 to 1.0 Ohm	NA	0.2 to 1.0 Ohm	7 to 9 K Ohm
	ACTVA OLD	545 to 575 ohm	130 to 175 ohm	0.5 to 0.7 ohm	0.7 to 0.9 ohm	3.0 to 3.6 Ω	5.5 ± 20% KΩ
	ACTVA 110	225 to 275 ohm	117 to 143 ohm	0.26 to 0.36 ohm	0.43 to 0.47 ohm		
	ACTVA NEW	EX1: 225 to 275 ohm EX2: 225 to 275 ohm	117 to 143 ohm	0.26 to 0.30 ohm	0.43 to 0.47 ohm		
4	Crx/Ybx/Gldiatr	700 to 1100 Ohm	240 to 380 Ohm	0.2 to 0.6 Ohm	0.2 to 0.5 Ohm	0.8 to 1.2 Ohm	5 to 8 K Ohm






Introducing INEL Aftermarket APP


How to Log in as "OTHERS/MECHANICS/RETAILERS"

- Go to Play store
- Search as INEL
- Download
- Click New user? [Sign in](#)
- Upload the details
- Password should be above 6 Characters
- Select the OTHERS, MECHANICS, RETAILERS option.
- Tick terms & conditions
- Register
- You will be getting OTP (OTP will be sent only once when you are a New User)
- After receiving OTP, You will be Logged in successfully



How to log in as "DISTRIBUTOR"

- Go to Play store
- Search as INEL
- Download
- Click New user? [Sign in](#)
- Upload the details
- Password should be above 6 Characters
- Select the "DISTRIBUTOR" option.
- Tick terms & conditions
- Register
- You will be getting OTP (OTP will be sent only once when you are a New User)
- After receiving OTP, We (INEL) will give conformation access code.
- Go to Log-in page and provide Mobile No and Password which you have entered in [Sign in](#) page.
- You will be Logged in successfully.





SHOP FLOOR HOSUR FACTORY




IATF 16949 Certification



Production



INDIA NIPPON AFTERMARKET WAREHOUSE



INDIA NIPPON ELECTRICALS LTD

Hosur-Thali Road, Uliveeranapalli, Hosur 635114,
Krishnagiri District, Tamil Nadu, India.

PH: +91 4347 230339 / 340 / 341 / 343 / 344